

ANSWER CARD A

[0]. NEVER

[1]. RARELY

[2]. SOMETIMES

[3]. OFTEN

[4]. ALWAYS

CRIME CARD

- [1]. **Drinking alcohol**: public intoxication
- [2]. **Drinking alcohol**: DWI
- [3]. **Use of other illegal drugs** (possession of drug paraphernalia, public intoxication)
- [4]. **Sale, distribution, or manufacturing of any drugs** (not counting drug use or possession)
- [5]. **Forgery or fraud** (writing bad checks, running con games)
- [6]. **Fencing** or buying/receiving stolen property
- [7]. **Gambling**, running numbers, or bookmaking
- [8]. **Prostitution or pimping**
- [9]. **Burglary or auto theft**
- [10]. **Other theft** (larceny, shoplifting)
- [11]. **Robbery** (armed robbery, mugging)
- [12]. **Violence against other persons** (homicide, aggravated assault, kidnapping, etc.) [**Do Not Include "Rape"**]
- [13]. **Arson or weapons offenses**
- [14]. **Vandalism**, vagrancy, loitering
- [15]. **Sex offenses** (rape, aggravated sexual assault, indecent exposure)
- [16]. **Probation/parole violations**
- [17]. **Others not listed**

DRUG CARD

- [1]. Alcohol**
- [2]. Inhalants (glue, spray paint, toluene, liquid paper)**
- [3]. Marijuana/Hashish**
- [4]. Hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote**
- [5]. Crack/Freebase**
- [6]. Cocaine (by itself)**
- [7]. Heroin and Cocaine (mixed together)**
- [8]. Heroin (by itself)**
- [9]. Street Methadone (non-prescription)**
- [10]. Other Opiates/Opium/Morphine/Demerol/Darvon**
- [11]. Methamphetamine/Speed/Ice/Ecstasy**
- [12]. Other Amphetamines/Uppers/Diet Pills**
- [13]. Librium/Xanax/Valium/Minor Tranquilizers**
- [14]. Barbiturates**
- [15]. Other Sedatives/Hypnotics/Quaaludes**
- [16]. Anything else?**

ANSWER CARD B

[0]. Never/Not Used

[1]. Only 1-3 times

[2]. About 1 time per month

[3]. About 2-3 times per month

[4]. About 1 time per week

[5]. About 2-6 times per week

[6]. About 1 time per day

[7]. About 2-3 times per day

[8]. About 4 or more times per day

ANSWER CARD E

[0]. DISAGREE STRONGLY

[1]. DISAGREE SOMEWHAT

[2]. NOT SURE

[3]. AGREE SOMEWHAT

[4]. AGREE STRONGLY

OCCUPATION CODE LIST

- (01) Professional or technical (accountant, architect, engineer, lawyer or judge, scientist, doctor, registered nurse, teacher, social worker, writer, entertainer)
- (02) Manager and administrator (office manager, sales manager, school administrator, government official, small business owner)
- (03) Sales (sales representative, insurance agent, real estate broker, bond salesman, sales clerk or other sales people)
- (04) Clerical or office worker (bank teller, bookkeeper, secretary, typist, postal clerk or carrier, ticket agent)
- (05) Craft and kindred (baker, carpenter, electrician, bricklayer, mechanic, machinist, tool and die maker, telephone installer)
- (06) Operative (checker, gas station attendant, shrimper, meat cutter/packer, laundry and dry-cleaning operative, welder, garage worker)
- (07) Transportation equipment operative (bus driver, cab driver or chauffeur, truck driver, deliverer)
- (08) Nonfarm laborer (construction, freight handler, sanitation worker)
- (09) Private household worker (maid, butler, cook)
- (10) Service worker (cook, waiter, barber, janitor, practical nurse, beautician, police officer, firefighter)
- (11) Farmer and farm manager
- (12) Farm laborer (crew leader, picker)
- (20) Military service

Adapted from earlier national studies: DARP, TOPS

Health Problems List

- (01) Respiratory system or breathing problems such as bronchitis, asthma, hay fever, pneumonia, emphysema, shortness of breath or wheezing
- (02) Tuberculosis
- (03) Heart or circulatory system problems including high blood pressure, irregular heartbeats, palpitations, heart murmur, or heart disease
- (04) Digestive system or stomach problems such as ulcers, colitis, nausea, vomiting, persistent diarrhea, or heartburn
- (05) Hepatitis, cirrhosis of the liver, jaundice, or kidney/liver problems
- (06) Bone and muscle problems such as paralysis, bursitis, arthritis, or permanent stiffness
- (07) Nervous system problems such as seizures, epilepsy, migraines, convulsions, or blackouts
- (08) [IF FEMALE] A gynecological problem like ovarian cysts, severe bleeding or severe cramps, endometriosis, fibroids, lower abdominal pain, breast lumps, or breast pain
- (09) [IF MALE] A prostate problem or problems with urinating
- (10) Venereal or sexually transmitted disease (STD) such as gonorrhea, syphilis, chlamydia, or herpes
- (11) AIDS/HIV+, immune disorders
- (12) Other physical health problem or illness that seriously affected your health
- (13) Vision problems such as blindness, glaucoma or cataracts
- (14) Psychiatric disorders
- (15) Skin disorders
- (16) Violent accidents or trauma
- (17) Cancer
- (18) Diabetes
- (19) Hearing loss

Alcohol Conversion List

Beer, Wine, Wine Coolers, and Hard Liquor

PINTS (16 oz)

1 pint	=	16
2 pints	=	32
3 pints	=	48
4 pints	=	64
5 pints	=	80

FIFTHS (26 oz)

1 fifth	=	26
2 fifths	=	51
3 fifths	=	77
4 fifths	=	102
5 fifths	=	128

QUARTS (32 oz)

1 quart	=	32
2 quarts	=	64
3 quarts	=	96
4 quarts	=	128
5 quarts	=	160

Beer (12 oz cans or bottles)

1 can/bottle	=	12
2 cans/bottles	=	24
3 cans/bottles	=	36
4 cans/bottles	=	48
5 cans/bottles	=	60
6 cans/bottles	=	72

Wine (4 oz glasses)

1 glass	=	4
2 glasses	=	8
3 glasses	=	12
4 glasses	=	16
5 glasses	=	20
6 glasses	=	24

Hard Liquor (1.5 oz shots/drinks)

1 shot/drink	=	2
2 shots/drinks	=	3
3 shots/drinks	=	5
4 shots/drinks	=	6
5 shots/drinks	=	8

Beer (6 packs)

1 six-pack	=	72
2 six-packs	=	144
3 six packs	=	216

Wine Coolers (12 oz bottles)*

1 bottle	=	6 oz
2 bottles	=	12 oz
3 bottles	=	18 oz
1 four-pack	=	24 oz

Metric Equivalents

500 ml	=	17 oz
750 ml	=	26 oz
1 liter	=	34 oz

Beer (12-packs)

1 twelve-pack	=	144
2 twelve-packs	=	288
2 twelve packs	=	1 case

*Wine Coolers are approximately 50% wine.